

L Number	Hits	Search Text	DB	Time stamp
10	25558	(eccentric eccentricity eccentrically) same (flange rim aperture collar bore opening) same groove	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 22:28
11	25946	(eccentric eccentricity eccentrically) same (flange rim lip aperture collar bore opening) same groove	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 20:52
12	14377	(eccentric eccentricity eccentrically) same (flange rim lip aperture collar bore opening) same groove and (turn turning rotate roatating) same (mount mounting connect connection connection joint joint coupling)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 20:53
13	900	(eccentric eccentricity eccentrically) adj2 (flange rim lip aperture collar bore opening) same groove and (turn turning rotate roatating) same (mount mounting connect connection connection joint joint coupling)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 21:46
15	64	(eccentric eccentricity eccentrically) adj2 (boss) same groove and (turn turning rotate roatating) same (mount mounting connect connection connection joint joint coupling)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 22:36
16	1429	(eccentric eccentricity eccentrically) adj2 (boss flange rim lip aperture collar bore opening) same (notch slot undercut) and (turn turning rotate roatating) same (mount mounting connect connection connection joint joint coupling)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 21:32
17	980	((eccentric eccentricity eccentrically) adj2 (boss flange rim lip aperture collar bore opening) same (notch slot undercut) and (turn turning rotate roatating) same (mount mounting connect connection connection joint joint coupling)) not ((eccentric eccentricity eccentrically) adj2 (flange rim lip aperture collar bore opening) same groove and (turn turning rotate roatating) same (mount mounting connect connection connection joint joint coupling))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 21:46
30	586	(offset off adj center offcenter off-center) adj (flange rim aperture collar bore opening) same groove and (shaft rod axle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 22:30
31	0	(eccentric eccentricity eccentrically) adj2 (boss flange lip endge) adj3 groove same (turn turning rotate roatating) same (mount mounting connect connection connection joint joint coupling)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 22:41
32	1	(eccentric eccentricity eccentrically) adj2 (boss flange lip endge) adj3 (groove notch undercut slot) same (turn turning rotate rotating) same (mount mounting connect connection connection joint joint coupling)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 22:45

33	13	(eccentric eccentricity eccentrically) adj2 (boss flange lip endge) adj3 (groove notch undercut slot) same (turn turning rotate rotating)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 22:43
34	25	(eccentric eccentricity eccentrically offset off adj center off-center) adj2 (boss flange lip endge) adj3 (groove notch undercut slot) same (turn turning rotate rotating)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 22:44
35	39	(eccentric eccentricity eccentrically offset off adj center) adj2 (boss flange lip endge) adj3 (groove notch undercut slot) same (mount mounting connect connection connection joint joint coupling)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 22:47
36	113	(eccentric eccentricity eccentrically offset off adj center) adj2 (boss flange lip endge) adj3 (groove notch undercut slot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 22:47
37	260	(eccentric eccentricity eccentrically offset off adj center) adj2 (boss flange lip edge) adj3 (groove notch undercut slot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 22:59
38	442	(eccentric eccentricity eccentrically offset off adj center) adj2 (boss flange lip edge aperture opening) adj3 (groove notch undercut slot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 22:59
39	182	((eccentric eccentricity eccentrically offset off adj center) adj2 (boss flange lip edge aperture opening) adj3 (groove notch undercut slot)) not ((eccentric eccentricity eccentrically offset off adj center) adj2 (boss flange lip edge) adj3 (groove notch undercut slot))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/22 23:00

L Number	Hits	Search Text	DB	Time stamp
3	3881	bearing with (shaft rod axle) and (tapered taper) adj3 (surfaces) and (nut or threaded) and (mounting mount)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/20 14:47
4	218	bearing.ab. with (shaft rod axle) and (wedge wedged tapered taper) adj2 (surfaces) and (nut or threaded) and (mounting mount)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/20 14:49